

CTLINK RAISED ACCESS FLOOR SYSTEMS



STEEL CEMENTITIOUS PANEL




LAMINATE PANEL




Feature


- Used for computer room, data center and communication center
- Excellent rolling load & ultimate load performance
- Light weight cement makes panels solid and quiet
- Black/grey epoxy paint finish for long time protection
- Class A flame spread and smoke development rating
- Convenient installation supplies an excellent solution for office integrity, wiring and data cable service



Wide range finishes available

- High Pressure Laminate
- Conductive vinyl tile
 - Ceramic
 - Carpet tile
 - Linoleum
- Granite/Marble







Control center




Communication center



45 degree routed HPL



Integral trim



C-trim edge

Type	Size	Concentrated	Impact Load	Ultimate Load	Uniform Load	Rolling Load	Remarks
International	mm	N	N	N	N/M ²	10 Passes 10000 Passes	
FS800	HDG600 35QG 600 × 600 × 35	≥ 2990	670	≥ 8890	≥ 12500	2215 1548	Floor system resistance 1 × 10 ⁵ – 1 × 10 ⁸ Ω
	HDG600 30QG 600 × 600 × 30						
	HDG600 35BG 600 × 600 × 35	≥ 3596	670	≥ 10799	≥ 19796	2959 2215	
FS1000	HDG610 35BG 610 × 610 × 35						
	HDG600 35ZG 600 × 600 × 35	≥ 4498	670	≥ 13494	≥ 23294	3596 2959	
FS1250	HDG610 35ZG 610 × 610 × 35	≥ 5595	670	≥ 16797	≥ 33084	4498 3596	
	HDG600 35ZG 600 × 600 × 35	≥ 6693	670	≥ 20090	≥ 42581	5595 4498	
FS1500	HDG610 35ZG 610 × 610 × 35	≥ 8898	670	≥ 26685	≥ 49784	6693 5595	≥ 60mm
	HDG600 35ZG 600 × 600 × 35	≥ 11093	670	≥ 33290	≥ 58280	8898 6693	

UNDER STRUCTURE



Stringers

Stringers provide lateral resistance to heavy rolling loads & seismic loading.



Heavy pedestal




C01

C02

C03

C04

Cross head pedestal



Seismic pedestal



F06

F01

F02

F05

Flat head pedestal



W03

W04

W07

W09

Round head pedestal



Ramp pedestal



Pedestal bracing

Finished flooring height (FFH) from 80mm to 2,000mm is available, with high loading strength.



Φ38

Φ32

Bracing kit

CTLINK FLOOR
www.baohagroup.com.vn

Covering Material

Variety of covering materials are available

A comprehensive selection of CTLINK covering materials are available including more colors of HPL, PVC and other interior finishes, to satisfy customer's different requirements. Please contact with us if you want other covering materials which is not listed below.




Ceramic tile


Homogeneous vinyl





2051



2060



2066



Covering Material



2073



2072



2050

Linoleum




3881



3882



3856



3858



3872



3876



3846




3825



3870

Granite



G655

HPL/Vinyl Finishes for Raised Access Floor Systems

Antistatic HPL

CTLINK Antistatic HPL
1.2/1.6 mm

Electrical resistance
 $1 \times 10^8 - 2 \times 10^{11}$ ohm



CT8192



CT8193



CT8194



CT8191



CT8132



CT8144



CT8137



CT8119



CT8117



CT8311



CT8345




CT8213

Vinyl

CTLINK Conductive
Vinyl 2.0/3.0 mm

Electrical resistance:
 $2.5 \times 10^4 - 1 \times 10^6$ ohm




VINYL 04



VINYL 05




VINYL 07




VINYL 08




VINYL 09



VINYL 10



VINYL 11



VINYL 13

CTLINK
Bao Ha Group

Hanoi Office:

No. 11, 67/5 Lane, Nguyen Van Cu Str.,
Ngoc Lam Ward, Long Bien Dist.,
Hanoi, Vietnam
Tel/Fax: 844 36274706
Hotline: 84 902288843
Email: contact@baohagroup.com
Website: <http://www.baohagroup.com.vn>

HCM Office:

No. 5/7, Nguyen Sieu Str.,
Ben Nghe Ward, District 1,
Ho Chi Minh, Vietnam
Tel/Fax: 848 36274706
Hotline: 84 902299953
Email: contact@baohagroup.com
Website: <http://www.baohagroup.com.vn>

FLOORING ACCESSORIES



Intertek **SGS**



CTLINK FLOOR presents and extensive choices for accessories, including electrical boxes, grommets, panel lifters and air diffuser and so on



Round brush grommet



Surface brush grommet



Split integral grommet



Round grommet



Square grommet



Integral grommet



Panel lifter



Outlet box B



Outlet box C

CTLINK
Bao Ha Group

Hanoi Office:
No. 11, 67/5 Lane, Nguyen Van Cu Str.,
Ngoc Lam Ward, Long Bien Dist.,
Hanoi, Vietnam
Tel/Fax: 844 36274706
Hotline: 84 902288843
Email: contact@baohagroup.com
Website: <http://www.baohagroup.com.vn>

HCM Office:
No. 5/7, Nguyen Sieu Str.,
Ben Nghe Ward, District 1,
Ho Chi Minh, Vietnam
Tel/Fax: 848 36274706
Hotline: 84 902288875
Email: contact@baohagroup.com
Website: <http://www.baohagroup.com.vn>